



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/748,569

12/30/2003

Leonard Ciprian Mosescu

MSFT-2832/304070.01

8073

41505

7590

09/22/2008

WOODCOCK WASHBURN LLP (MICROSOFT CORPORATION)
CIRA CENTRE, 12TH FLOOR
2929 ARCH STREET
PHILADELPHIA, PA 19104-2891

EXAMINER

BROWN, SHEREE N

ART UNIT

PAPER NUMBER

2163

MAIL DATE

DELIVERY MODE

09/22/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/748,569	Applicant(s) MOESCU, LEONARD CIPRIAN	
	Examiner SHEREE N. BROWN	Art Unit 2163	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 June 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,5-10 and 13-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,6,9,10,14 and 17 is/are rejected.
- 7) ☐ Claim(s) 5, 7-8, 13, 15-16 and 19 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is responsive to the Request for Continued Examination (RCE) filed on 06/27/2008. Claims 1-2, 5-10 and 13-19 are pending and presented for examination.

2. This action has been made NON-FINAL.

Continued Examination Under 37 CFR 1.114

3. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 06/27/2008 has been entered.

Response to Amendment

4. Referring to the Claim Objection, applicant's amendment has been acknowledged. Accordingly, examiner withdraws the objection.

Allowable Subject Matter

5. Claims 5, 7-8, 13, 15-16 and 19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claim Rejections - 35 USC § 103

Art Unit: 2163

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-2, 6, 9-10, 14, and 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ambroziak (US Patent No. 6,055,526, Date of Patent: April 25, 2000) in view of Bumbulis (US Patent No. 2003/0204513, Date Filed: January 27, 2003).

Claim 1:

Regarding claim 1, Ambroziak teaches a system for compression comprising: a memory device that stores a plurality of compressed and uncompressed normalized index keys, each normalized indexed key generated by normalizing a plurality of column values that constitute an index key, the normalized index key stored in sorted order (column 16, lines 37-39, wherein sorting is performed on the C/P groups arrange the concepts in order of there concept identifiers, Ambroziak), with no gaps between the stored normalized indexed keys (column 9, lines 49-50, wherein most fries related to the invention are stored in compressed form, Ambroziak), and stores a plurality of slots with no gaps between the stored slots (column 1, lines 52-58, wherein compressing an index to obtain a compressed index that is easily stored and transmitted, also providing for decompression of such a compressed index, wherein it further provides maintenance and use of a plurality of files that contain indexing information

Ambroziak); and

Ambroziak teaches a processor that compresses the stored normalized keys (Figure 2, diagram 210, wherein processor hardware is illustrated, Ambroziak).

Ambroziak is silent with respect to a b-tree data structure wherein a processor that compresses the stored normalized keys, wherein each slot corresponds to a normalized index key in the memory page and comprises a memory offset of the corresponding key and an indicator if the corresponding normalized index key is compressed.

On the other hand, Bumbulis teaches a b-tree data structure wherein a processor that compresses the stored normalized keys, wherein each slot corresponds to a normalized index key in the memory page (paragraph [0068-0069], wherein a query tree is normalized by the normalizer; paragraph [0085], wherein it is also assumed that all keys can be normalized to binary strings in an order preserving fashion; paragraph [0240], wherein for existing B-Tree index implementations, this overhead is usually between 12 and 41 bytes for internal nodes and between 8 and 37 bytes for leaf nodes, depending on the length of the normalized keys and the length of the normalized prefix stored in each page, wherein this is equivalent to "wherein each slot corresponds to a normalized index key in the memory page", Bumbulis) and comprises a memory offset of the corresponding key (Figure 7B, all features, wherein it illustrates the bit offsets and keys associated with the internal nodes and leaf nodes of the Patricia tree, Bumbulis and an indicator if the corresponding normalized index key is compressed (paragraph [0140], wherein this reads over "a blind search of a Patricia tree or path-compressed binary tree

Art Unit: 2163

structure typically starts at the root node with an examination of the bit at the specified offset to determine if it is zero ('0') or one ('1 ') and based upon whether the bit being examined is a "0" or "1 ", the search proceeds to the left or to the right, and this process continues until a leaf node is reached, wherein this is interpreted to be equivalent to wherein "an indicator if the corresponding normalized index key is compressed", Bumbulis).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to incorporate Bumbulis teachings into Ambroziak system. A skilled artisan would have been motivated to combine as suggest by Bumbulis [see abstract] to facilitate quick access by minimizing the size of a b-tree utilizing path compressed binary tile.

Claims 2:

Regarding claim 2, Ambroziak teaches wherein the memory device stores the plurality of compressed and uncompressed normalized index keys starting after the header and the plurality of normalized index keys grows towards the end of the memory device as additional index keys are added (Figure 4, wherein block 3 is illustrated as the header and column 14, lines 45-55, wherein format of document file data structure, wherein the data structure begins with a byte of information used to store compression factor or key for compression, wherein they byte information is followed by a plurality of bytes information, i.e. n bytes, wherein the compressed indexes are decompressed using the compression factor or key that precedes then in the document file, and the number of

Art Unit: 2163

bytes used to store the compressed indexes, i.e. n bytes may vary depending on the compression factor or key used.; column 6, lines 1-5, wherein each subclass in the hierarchy may add to or modify the behavior specified in the parent class, Ambroziak).

Claim 6:

Regarding claim 6, Ambroziak teaches wherein the processor repeating steps (a)-(f) for each normalized index key in the memory device (column 9, lines 15-18, Ambroziak).

Claim 9:

Regarding claim 9, Ambroziak teaches a system for compression comprising: storing a plurality of compressed and uncompressed normalized index keys in sorted order (column 16, lines 37-39, wherein sorting is performed on the C/P groups arrange the concepts in order of there concept identifiers, Ambroziak), in a memory page with no gaps between the stored normalized keys (column 9, lines 49-50, wherein most files related to the invention are stored in compressed form, Ambroziak);

storing a plurality of slots with no gaps between the stored slots (column 1, lines 52-58, wherein compressing an index to obtain a compressed index that is easily stored and transmitted, also providing for decompression of such a compressed index, wherein it further provides maintenance and use of a plurality of files that contain indexing information Ambroziak);

storing a header (Figure 4, wherein block 3 is illustrated as the header, Ambroziak);

compressing the stored normalized index keys on the memory page in part by,

comparing each uncompressed normalized index key with at least one other

Art Unit: 2163

normalized index key to identify a common prefix (column 12, lines 1-10 and column 12, lines 48-50, respectively, Ambroziak);

and after compressing a stored normalized index key, shifting at least one other stored normalized index key to fill an empty memory space resulting from compressing the stored normalized index key, wherein storing the plurality of slots comprising starting immediately at the end of the memory page and growing towards the beginning memory pages as additional slots are added (column 12, lines 1-10 and column 12, lines 48-50, respectively, Ambroziak)

Ambroziak does not teach further a b-tree data structure wherein each slot corresponds to a normalized index key in the memory page and comprises a memory offset of the corresponding key and an indicator if the corresponding normalized index key is compressed.

On the other hand, Bumbulis teaches a b-tree data structure wherein each slot corresponds to a normalized index key in the memory page (paragraph [0068-0069], wherein a query tree is normalized by the normalizer; paragraph [0085], wherein it is also assumed that all keys can be normalized to binary strings in an order preserving fashion; paragraph [0240], wherein for existing B-Tree index implementations, this overhead is usually between 12 and 41 bytes for internal nodes and between 8 and 37 bytes for leaf nodes, depending on the length of the normalized keys and the length of the normalized prefix stored in each page, wherein this is equivalent to "wherein each slot corresponds to a normalized index key in the memory page", Bumbulis) and

comprises a memory offset of the corresponding key (Figure 7B, all features, wherein it illustrates the bit offsets and keys associated with the internal nodes and leaf nodes of the Patricia tree, Bumbulis and an indicator if the corresponding normalized index key is compressed (paragraph [0140], wherein this reads over "a blind search of a Patricia tree or path-compressed binary tree structure typically starts at the root node with an examination of the bit at the specified offset to determine if it is zero ('0') or one ('1 ') and based upon whether the bit being examined is a '0' or '1 ', the search proceeds to the left or to the right, and this process continues until a leaf node is reached, wherein this is interpreted to be equivalent to wherein "an indicator if the corresponding normalized index key is compressed", Bumbulis).

It would have been obvious to one of the ordinary skill in the art at the time of the invention to incorporate Bumbulis teachings into Ambroziak system. A skilled artisan would have been motivated to combine as suggest by Bumbulis [see abstract] to facilitate quick access by minimizing the size of a b-tree utilizing path compressed binary tree.

Claim 10:

Regarding claim 10, Refer to claim 2, wherein this limitation is substantially the same and therefore rejected under the same rationale, Ambroziak.

Claim 14:

Regarding claim 14, Refer to claim 6 wherein this limitation Is substantially the same and therefore rejected under the same rationale, Ambroziak.

Claims 17:

Regarding claims 17, Ambroziak teaches wherein the processor compresses the stored normalized keys on the memory page by:

- (a) determining if a first normalized index key in a memory device should be compressed, wherein the first normalized index key is generated by normalizing a plurality of first column values that constitutes a first index key and concatenating the normalized first column values; (Figure 14B, all features and Figure 15, all features, Ambroziak);
- (b) comparing the first normalized index key with a second normalized index key preceding the first normalized index key in the memory page, wherein the second normalized index key is generated by normalizing a plurality of second column values that constitutes a second index key and concatenating the normalized second column values (column 17, lines 22-31, wherein the relevant concepts identifiers of the query are compared against the table to determine the C/P groups are relevant and lines 42-45, wherein the concept identifiers for the relevant concepts f the query are compared to the MaxTable entries, and column 14, lines 1-8, wherein the two first and second index is defined, Ambroziak);
- (c) generating a common byte length between the first normalized index key and the second normalized index key consisting of the number of bytes in the common prefix between the first normalized index key and the second normalized index key (column 11, lines 26-38, wherein concept entry has a structure that begins with a byte

Art Unit: 2163

representative of the length of the concept or key, wherein the byte is followed by a byte denoting the length of the shared prefix and the shared prefix is a component of an entry that is common to another entry, for example, the preceding entry, wherein the byte denoting the length of the shared prefix is followed by an integer value indicating the concept identifier that is unique to the concept and following the integer value is a plurality of bytes of information, i.e. n bytes, used for storing the concept name or concept suffix, where n is the concept length., wherein the concept name is a portion of the concept that is unique among concepts having the same shared prefix, Ambroziak);

(d) replacing the first index key in the memory page with the generated common byte length followed by the bytes from the first normalized index key that were not in the common prefix between the first normalized index key and the second normalized index key (Figure 12, diagram 1205, wherein the existing microindex for the document is replaced with the new micorindex, wherein its further defined in column 19, lines 15-24, Ambroziak);

(e) shifting the normalized index keys following the first normalized index key to fill any empty memory space resulting from compressing the first normalized index key and updating the memory offsets contained in the slots corresponding to the shifted normalized index keys (column 9, lines 30-35, wherein jumping is equivalent to shifting, Ambroziak); and

(f) updating the indicator in the slot corresponding to the first normalized index key to reflect.that the key is now compressed (column 9, lines 50-60, Ambroziak).

Ambroziak is silent with respect to a b-tree data structure. On the other hand, Bumbulis teaches a b-tree data structure (paragraph [0004]). It would have been obvious to one of the ordinary skill in the art at the time of the invention to incorporate Bumbulis teachings into Ambroziak system. A skilled artisan would have been motivated to combine as suggest by Bumbulis [see abstract] to facilitate quick access by minimizing the size of a b-tree utilizing path compressed binary tree.

Claim 18:

Regarding claim 18, Ambroziak teaches wherein the processor repeating steps (a)-(f) for each normalized index key in the memory device (column 9, lines 15-18, Ambroziak).

Prior Art of Record

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

*Ambroziak US Patent No. 6,055,526

*Bumbulis US PG Publication No. 2003/0204513

Response to Arguments

9. Applicant's arguments with respect to claims 1-2, 5-10 and 13-19 have been considered but are moot in view of the new ground(s) of rejection.

Contact Information

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sheree N. Brown whose telephone number is (571) 272-4229. The examiner can normally be reached on Monday-Friday 7:00 AM - 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Don Wong can be reached on (571) 272-1834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Sheree Brown
/Sheree N. Brown/
Patent Examiner, Art Unit 2163
Technology Center 2100
September 11, 2008

/don wong/

Supervisory Patent Examiner, Art Unit 2163